


Bridging the Gap  
Alcohol Policy Network in the context  
of a larger Europe  
Third meeting of network

**Barcelona, 11-13 May 2005**



*Dr. Teresa Robledo de Dios  
Head of the Prevention Area  
Directorate General of Public Health  
Ministry of Health and Consumer Affairs*


# Total alcohol consumption by country, 2003. Per Capita Consumption. Litres of pure alcohol



*Fuente: World Drink Trends, 2005. Edition*

*Elaboración: Subdirección General de Promoción de la Salud y Epidemiología. MSC.*

# Per Capita Consumption of pure alcohol per person and year. Spain, France, Italy, Greece and Portugal. 1982-2003



*Fuente: World Drink Trends, 2005. Edition*

*Elaboración: Subdirección General de Promoción de la Salud y Epidemiología. MSC.*

## Number of deaths in Spain 1999-2002. Number of deaths due to alcohol related causes. Percentage of alcohol related deaths, by sex.



Years	N° of deaths			N° of deaths due to alcohol			Percentage of alcohol deaths by sex		
	MEN	WOMEN	Total	MEN	WOMEN	Total	MEN	WOMEN	Total
<b>1.999</b>	195.255	175.847	371.102	6.513	2.208	8.721	3,34	1,26	2,35
<b>2.000</b>	189.468	170.923	360.391	6.305	2.110	8.415	3,33	1,23	2,34
<b>2.001</b>	189.714	170.417	360.131	6.492	2.051	8.543	3,42	1,20	2,37
<b>2.002</b>	193.269	175.349	368.618	6.485	2.112	8.597	3,36	1,20	2,33

*Source: Ministry of Health and Consumer Affairs. Institute for Alcohol and Drug Studies of the University of Valladolid. Study of alcohol related Mortality in Spain. 1999-2002.*


## Alcohol related Mortality in Spain 1999-2002: Rate per 100,000 population, by sex



Years	Rate per 100,000 population		
	TOTAL	MEN	WOMEN
<b>1.999</b>	21,69	33,11	10,67
<b>2.000</b>	20,78	31,81	10,20
<b>2.001</b>	20,78	32,20	9,79
<b>2.002</b>	20,55	31,53	9,93

*Source: Ministry of Health and Consumer Affairs. Institute for Alcohol and Drug Studies of the University of Valladolid. Study of alcohol related Mortality in Spain. 1999-2002.*

# Alcohol related Mortality in Spain 2002. Percentages by diagnosis category groups



Source: Ministry of Health and Consumer Affairs. Institute for Alcohol and Drug Studies of the University of Valladolid. Study of alcohol related Mortality in Spain. 1999-2002.

# Year of potential life lost (APVP) and alcohol related deaths in Spain, 1999-2002 chronic and acute causes. Total, men and women



(calculated to the age of 70)



	1999	2000	2001	2002
	APVP	APVP	APVP	APVP
<b>Chronic</b>				
<b>Total</b>	39.811	37.885	38.870	38.624
<b>Men</b>	32.712	30.928	32.188	31.679
<b>Women</b>	7.099	6.957	6.682	6.945
<b>Acute</b>				
<b>Total</b>	83.909	86.618	81.275	84.516
<b>Men</b>	67.604	69.749	65.915	68.205
<b>Women</b>	16.305	16.869	15.360	16.311
<b>Total</b>				
<b>Total</b>	123.720	124.503	120.145	123.140
<b>Men</b>	100.316	100.677	98.103	99.884
<b>Women</b>	23.404	23.826	22.042	23.256


*Source: Ministry of Health and Consumer Affairs. Institute for Alcohol and Drug Studies of the University of Valladolid. Study of alcohol related Mortality in Spain. 1999-2002.*

# Prevalence of Alcohol Consumption in the last 30 days, by sex. Spain 1994-2004. (Survey of 14 – 18 year old school children)




Source: DGPND. National Survey on drug use in secondary education 2004. Drafted by. Subd..G. for Health Promotion and Epidemiology. DGSP. MSC.

# Prevalence of Alcohol Consumption by age groups. Spain 1994-2004 (Survey of 14 – 18 year old school children)





Source: DGPND. National Survey on drug use in secondary education 2004. Drafted by. Subd..G. for Health Promotion and Epidemiology. DGSP. MSC.

## Changes in the percentage of Non-Drinkers. Spain 1994-2004 (Survey of 14 – 18 year old school children)



Source: DGPND. National Survey on drug use in secondary education 2004. Drafted by. Subd.G. for Health Promotion and Epidemiology. DGSP. MSC.

# Prevalence of episodes of drunkenness in the year prior to the interview. By sex and age group. Spain, 1997-2003




Source: DGPND. National Survey on drug use in secondary education 2004.  
Drafted by. Subd..G. for Health Promotion and Epidemiology. DGSP. MSC.

# STRATEGIC GUIDELINES OF ACTION



## PUBLIC HEALTH



## NATIONAL LEVEL

---

### ➤ HEALTH INFORMATION:

- ✓ Spanish Drugs Observatory

### ➤ PROMOTION AND PREVENTION:

#### ✓ Educational measures

- To define a set of quality criteria to act as guidelines for teachers for choosing programmes and material
- To review the training needs of teachers in the area of health education and promotion
- To give special attention to health training for management teams
- To promote channels of information and participation for families that will foster attitudes and habits, and
- To foster inter-ministerial co-operation in the European Network of Health Promoter Schools Dissemination Project

#### ✓ Information measures

**El alcohol puede llevarte lejos**



**ALCOHOL**  
Tú verás lo que te mola



Por el bienestar de todos

## NATIONAL LEVEL (II)

---



- **PROMOTION AND PREVENTION:**
  - ✓ **Primary Health Care**
    - Brief intervention
  - ✓ **First Conference on Health Promotion and Prevention in Health Care**
  - ✓ **Measures aimed at preventing alcohol related traffic accidents**
  - ✓ **Inter-sectorial action**
    - National Infancy Observatory
    - National Youth Institute.

Thank you for your attention

